

News Release

For Immediate Release

Date: 20 June 2011

Avocet Mining PLC

3rd Floor 30 Haymarket

London SW1Y 4EX

Tel +44 20 7766 7676

Fax +44 20 7766 7699

Email avocet@avocet.co.uk

www.avocet.co.uk

POSITIVE DRILLING RESULTS FROM INATA

Avocet Mining PLC (“Avocet” or “the Company”) announces further positive drilling results from the on-going drilling campaign at its flagship Inata gold mine in Burkina Faso, with additional updates scheduled to be announced during the third quarter of 2011. Highlights of the results announced today are summarised in the tables attached to this release and include:

Inata North Extension

- 10 m @ 2.35 g/t Au from 171 m in INRD0064 (incl. 1 m @ 19.2 g/t Au)
- 6 m @ 3.68 g/t Au from 199.4 m in INRD0061 (incl. 1 m @ 9.74 g/t Au & 1 m @ 5.05 g/t Au)
- 2 m @ 9.82 g/t Au from 8 m in INRD0070

Sayouba

- 4 m @ 12.7 g/t Au from 173 m in INRC1776 (incl. 2 m @ 24.4 g/t Au)
- 11.7 m @ 2.51 g/t Au from 114.3 m in INDD0060 (incl. 3.1 m @ 4.91 g/t Au)
- 3 m @ 7.62 g/t Au from 205 m in INDD0078 (incl. 1 m @ 21.6 g/t Au)

Inata North

- 45.5 m @ 2.77 g/t Au from 287.5 m in INDD0075 (incl. 22.3 m @ 3.97 g/t Au)
- 14 m @ 4.71 g/t Au from 432 m in INDD0064 (incl. 4 m @ 5.05 g/t Au & 5.1 m @ 7.27 g/t Au)
- 11 m @ 4.55 g/t Au from 87 m in INRC1761 (incl. 9m @ 5.46 g/t Au)
- 7 m @ 7.79 g/t Au from 154 m in INRC1761

Inata Central

- 9 m @ 10.3 g/t Au from 122 m in INRD0098 (incl. 6 m @ 14.9 g/t Au)
- 19 m @ 3.69 g/t Au from 6 m in INRC1877 (incl. 10 m @ 5.15 g/t Au)
- 8 m @ 7.21 g/t Au from 158 m in INRD0137 (incl. 5 m @ 10.7 g/t Au)

Inata South

- 26 m @ 7.35 g/t Au from 97 m in INRC1678 (incl. 13m @ 13.8 g/t Au)
- 8 m @ 5.08 g/t Au from 61 m in INRC1832 (incl. 2 m @ 16.1 g/t Au)
- 5 m @ 7.25 g/t Au from 117 m in INRC1840 (incl. 3 m @ 11.5 g/t Au)

Minfo and Minfo East

- 13m @ 4.50 g/t Au from 118 m in INRD1728 (incl. 4.4m @ 9.93 g/t Au)
- 12 m @ 2.15 g/t Au from 62 m in INRC1899 (incl. 8m @ 2.68 g/t Au)
- 20 m @ 2.12 g/t Au from 77 m in INRC1899 (incl. 7m @ 4.03 g/t Au)

Avocet reported drilling results from Inata on 7 February and 24 March 2011 based on 177 reverse circulation (“RC”) drill holes (24,162 metres) and 7 RC with diamond tail (“RD”) drill holes (1,396 metres). Assays have now been received and validated for an additional 157 RC drill holes (26,154 metres), 36 RD drill holes (8,156 metres) and 18 diamond (“DD”) drill holes (6,247 metres) from a total completed programme of 438 RC drill holes (61,245 metres), 92 RD holes (21,066 metres) and 68 DD drill holes (19,035 metres). Figure 1 shows the location of the most significant intercepts and Tables 1 to 5 list all new significant intercepts. These drill holes have tested mineralisation beneath and along strike from Inata North, Inata Central, Inata South, Minfo and Sayouba as part of a programme targeted at realising the larger scale of the Inata Mineral Resource and doubling of the original Mineral Reserves. The Company has completed an additional 10,017 metres of RC drilling outside of the Inata mine permit on prospects that are contiguous with the mineralised zone at Minfo, including Filio; and a further 12,542 metres of air core drilling on infrastructure sterilisation.

The large volume of significant results received to date from over 100,000 metres of drilling inside the Inata mine permit indicates that the Mineral Resource of 2.12 million ounces announced on 12 April 2011 will continue to expand. The wide zones of higher grade mineralisation at Inata Central and Inata South are particularly encouraging, as these results are significantly better than the previous intercepts that have contributed to the current Mineral Resource.

Avocet embarked on an extensive 200,000 metre drill programme at Inata (and within the Bélahouro region) in late 2010, which has delivered some impressive results to date. At the time of announcing the programme, the Company set a target to “double the reserves” from the original Mineral Reserves at Inata of 944,000 ounces stated by Wega Mining, and has made good progress toward achieving that goal.


The recent labour unrest reported on 13 May 2011 has led to the early termination of drilling prior to the onset of the July to September wet season. This action did not allow for the completion of the drilling programme, which will defer the Company’s ability to realise this goal until a further 9,000 metres of deeper drill holes are completed. These drill holes are scheduled to commence in October 2011 along with the remaining 67,000 metres that will complete the initial 200,000 metre drill programme. The balance of this programme will test priority near mine targets.

The Company will report the final batch of results from the current field season's drilling of approximately 30,000 metres once they have been validated, and will report a further updated Mineral Resource in the third quarter of 2011.

Commenting on the latest drilling results from Inata, Brett Richards, Chief Executive Officer for Avocet, stated:

“Inata continues to return significant drilling results that show it is a much larger gold deposit than the current Mineral Resource and Reserve suggest. We are confident of achieving the goal of doubling the Mineral Reserves; however the final resource and reserve upgrade will be delayed due to the early termination of the drilling programme caused by the labour unrest leading up to the wet season. As well, exploration drilling of the regional targets in the next field season will illustrate to us how we look at the Bélahouro region as a whole, in regards to how to we increase our production profile in Burkina Faso over the coming years”.

Figure 1.0



The information in this announcement is based on information reviewed and audited by Mr Peter Flindell (MAUSIMM), Executive Vice President of Exploration for Avocet. Mr Flindell has sufficient experience relevant to the style of mineralisation and type of deposit under consideration to qualify as a Qualified Person as defined by the Canadian National Instrument 43-101 for the reporting of Exploration Results, Mineral Resources and Mineral Reserves (NI 43-101) and as a Competent Person as defined by the Australian JORC Code (2004) for the reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr Flindell consents to the inclusion of the technical information in this announcement in the form and context in which it appears.

For further information please contact:

Avocet Mining PLC	Buchanan	Ambrian Partners Limited	J.P. Morgan Cazenove	Arctic Securities	SEB Enskilda
	Financial PR Consultants	NOMAD & Joint Broker	Lead Broker	Financial Adviser & Market Maker	Market Maker
Brett Richards, CEO Mike Norris, FD Hans-Arne L'orange, EVP Business Development & Investor Relations	Bobby Morse Katharine Sutton	Samantha Harrison Jen Boorer	Michael Wentworth-Stanley Neil Passmore	Arne Wenger Petter Bakken	Fredrik Cappelen Andreas Røde
+44 20 7766 7676	+44 20 7466 5000 +44 7872 604783	+44 20 7634 4700	+44 20 7588 2828	+47 2101 3100	+47 21008500
www.avocet.co.uk	www.buchanan.uk.com	www.ambrian.com	www.jporgancazenove.com	www.arcticsec.no	www.sebenskilda.no

Notes to Editors

Avocet Mining PLC ("Avocet" or "the Company") is a gold mining company listed on the AIM market of the London Stock Exchange (Ticker: AVM.L) and the Oslo Børs (Ticker: AVM.OL). The Company's principal activities are gold mining and exploration in Burkina Faso (as 90 per cent owner of the Inata gold mine), Malaysia (as 100 per cent owner of the Penjom gold mine, the country's largest gold producer) and Indonesia (as 80 per cent owner of the North Lanut gold mine and Bakan project in North Sulawesi).

In December 2010 Avocet announced that it had signed a binding agreement for the conditional sale of its South East Asian assets to J&Partners L.P, a private company, for US\$200 million. The transaction with J&Partners will leave Avocet as a West African gold producer with a clear strategy for growth in that region. Further details can be found in the press release dated 24 December 2010 and in the Company's preliminary results statement for 2010, dated 22 February 2011.

Background to operations

The Inata deposit presently comprises a Mineral Resource of 2.12 million ounces and a Mineral Reserve of 1.08 million ounces. Inata poured its first gold in December 2009 and has now reached a production rate in excess of 13,500 ounces per month. Other assets in West Africa include exploration permits in Burkina Faso (the most advanced being the Souma trend at Bélahouro, some 20 kilometres from Inata, with a Mineral Resource of 561,100 ounces), Guinea and Mali (the most advanced being the Tri-K gold exploration project in Guinea with a Mineral Resource of 1.10 million ounces).

Penjom is Malaysia's largest gold mine and was developed by Avocet in an area of historic alluvial mining. The mine is located in Pahang State, approximately 120 km north of the country's capital, Kuala Lumpur.

North Lanut in North Sulawesi, Indonesia, was developed by Avocet from the exploration stage. The mine is located within a Contract of Work, which includes exploration and mining rights over approximately 50,000 hectares in an area highly prospective for gold. Avocet holds an 80 per cent interest and an Indonesian company, PT Leborg Tandai, owns the remaining 20 per cent.

TABLE 1 – SUMMARY OF DRILLHOLE INTERCEPTS AT INATA NORTH EXTENSION & SAYOUBA

Hole ID	East	North	RL	Az	Dip	EOH (m)	From (m)	To (m)	Width (m)	Grade (g/t Au)	Including
INDD0060	683,297	1,588,903	340	90	-60	171	108	111.9	3.9	1.06	3.1m @ 4.91 g/t Au & 2.3m @ 3.30 g/t Au
							114.3	126	11.7	2.51	
							128.5	130.1	1.6	0.68	
							142.45	144.6	2.15	1.40	
INDD0062	683,020	1,589,301	349	90	-60	140	33	35	2	0.53	1m @ 3.28 g/t Au
							38.4	41	2.6	0.97	
							44.3	48.1	3.8	1.53	
							60	64	4	2.05	
							81.4	86.55	5.15	1.21	
							92	94	2	3.55	
INDD0078	683,207	1,588,951	341	90	-60	256.5	133.5	134.5	1	0.62	1m @ 21.6 g/t Au
							28	30.3	2.3	0.67	
INDD0079	683,149	1,589,051	343	90	-60	356.5	205	208	3	7.62	1m @ 3.89 g/t Au
							194.2	195.2	1	0.82	
INDD0080	683,148	1,588,903	341	90	-60	346.5	204.6	205.6	1	0.52	1m @ 2.55 g/t Au
							331.8	336	4.2	1.63	
							0	4	4	0.59	
							62	64	2	1.62	
INDD0083	682,816	1,589,350	345	90	-60	366.5	280.5	281.5	1	1.38	1m @ 2.91 g/t Au
							184.5	187.5	3	0.42	
							322.3	324.3	2	1.17	
							330.2	334.4	4.2	1.37	
INRC1592	683,126	1,589,701	344	0	-60	192	75	76	1	0.61	1m @ 2.66 g/t Au
							87	88	1	1.58	
							174	175	1	1.40	
INRC1595	683,099	1,589,753	344	0	-60	198	162	163	1	0.94	1m @ 4.77 g/t Au
							183	185	2	1.22	
INRC1596	683,150	1,589,752	343	0	-60	144	116	117	1	0.61	1m @ 5.94 g/t Au
							122	123	1	0.58	
INRC1693	683,386	1,588,851	337	90	-60	150	127	128	1	0.58	1m @ 6.94 g/t Au
							83	85	2	1.15	
INRC1705	683,153	1,589,000	342	90	-60	204	109	110	1	0.73	1m @ 24.4 g/t Au
							138	139	1	0.93	
							151	152	1	0.60	
							32	34	2	0.78	
							105	106	1	0.90	
INRC1708	683,329	1,588,850	338	90	-60	200	107	109	2	1.13	1m @ 2.91 g/t Au
							119	120	1	0.60	
							16	17	1	0.87	
							209	210	1	3.39	
INRC1711	683,494	1,590,451	333	90	-60	171	213	219	6	1.42	1m @ 2.66 g/t Au
							226	229	3	1.80	
							58	61	3	0.56	
							12	13	1	0.75	
							39	40	1	2.00	
INRC1749	683,000	1,589,802	343	90	-60	236	57	58	1	4.77	1m @ 4.77 g/t Au
							116	117	1	1.23	
							131	132	1	0.56	
							127	128	1	0.69	
							163	164	1	1.27	
							167	170	3	3.36	
INRC1774	683,306	1,589,299	345	90	-60	165	173	177	4	12.7	2m @ 24.4 g/t Au
							181	184	3	2.36	
							207	208	1	0.82	
							56	60	4	0.64	
INRC1775	683,256	1,589,300	346	90	-60	190	64	65	1	1.06	1m @ 5.94 g/t Au
							73	74	1	0.56	
							43	44	1	8.08	
INRC1776	683,210	1,589,301	348	90	-60	220	61	62	1	3.34	1m @ 2.54 g/t Au
							83	84	1	1.49	
							102	103	1	0.87	
							125	126	1	1.25	
INRC1778	683,329	1,589,355	345	90	-60	165	133	136	3	1.50	1m @ 2.54 g/t Au
							191	192	1	7.51	
							196	198	2	4.42	
							73	74	1	0.56	
							43	44	1	8.08	
INRC1779	683,277	1,589,355	346	90	-60	190	83	84	1	1.49	1m @ 2.54 g/t Au
							102	103	1	0.87	
							125	126	1	1.25	
							133	136	3	1.50	
INRC1780	683,230	1,589,354	348	90	-60	220	191	192	1	7.51	1m @ 2.54 g/t Au
							196	198	2	4.42	
							73	74	1	0.56	
							43	44	1	8.08	

Hole ID	East	North	RL	Az	Dip	EOH (m)	From (m)	To (m)	Width (m)	Grade (g/t Au)	Including
INRC1781	683,326	1,589,406	344	90	-60	165	16	17	1	0.65	
							76	77	1	0.50	
							90	94	4	0.61	
							112	113	1	1.53	
INRC1782	683,276	1,589,403	346	90	-60	190	10	12	2	0.81	
							21	22	1	0.63	
							110	111	1	1.24	
							137	138	1	0.69	
INRC1783	683,235	1,589,400	347	90	-60	220	5	7	2	0.66	
							31	32	1	1.63	
							58	61	3	0.73	
							78	79	1	0.52	
							107	108	1	0.51	
							143	144	1	0.50	
INRC1905	683,377	1,589,409	345	90	-60	126	103	104	1	0.82	
INRD0061	682,895	1,589,300	349	90	-60	312.5	159	160	1	1.18	
							167	170	3	0.49	
							199.4	205.4	6	3.68	1m @ 9.74 g/t Au & 1m @ 5.05 g/t Au
							225	229	4	0.78	
INRD0064	682,863	1,589,453	345	90	-60	405	162	165.2	3.2	0.59	
							167.5	168.5	1	0.86	
							171	181	10	2.35	1m @ 19.2 g/t Au
							185	191	6	0.41	
							234	237.3	3.3	1.73	1m @ 3.67 g/t Au
							239.8	246	6.2	0.79	
							253	258	5	3.27	1m @ 7.48 g/t Au
							264.5	271	6.5	0.92	
							328	330	2	1.13	
							334	340	6	2.00	2m @ 3.88 g/t Au
346	350	4	0.64								
INRD0070	682,915	1,589,552	348	90	-60	370.5	8	10	2	9.82	
INRD0071	682,991	1,589,598	349	90	-60	200	150	157	7	0.44	
							168	169	1	0.50	

Notes: Individual gold assays have a top cut of 30 g/t Au and a lower cut of 0.5 g/t Au for intercept calculations
Maximum internal waste allowed is 2m and minimum mineralised interval is 1m
All holes are drilled from surface using conventional reverse circulation drilling techniques and triple tube wireline diamond drilling techniques drilled by Boart Longyear & West African Drilling Services
All samples have been prepared and analysed by SGS Laboratories in Ouagadougou, Burkina Faso and Intertek Testing Services in Tarkwa, Ghana
Gold has been analysed by fire assay using a 50 gram charge
All sample batches have passed Avocet's QAQC protocols

TABLE 2 – SUMMARY OF DRILLHOLE INTERCEPTS AT INATA NORTH

Hole ID	East	North	RL	Az	Dip	EOH (m)	From (m)	To (m)	Width (m)	Grade (g/t Au)	Including
INDD0063	682,624	1,588,376	336	90	-60	382.5	262.6	265.2	2.6	6.48	
							278	288.4	10.4	1.69	1.3m @ 6.77 g/t Au & 2.7m @ 1.83 g/t Au
							293	299	6	3.68	4m @ 4.85 g/t Au
							321.6	325.5	3.9	0.84	1m @ 2.57 g/t Au
							333	335.6	2.6	0.81	
							348	350	2	0.61	
							365	367	2	2.49	
INDD0064	682,501	1,588,401	335	90	-60	490.8	1.6	3.6	2	0.78	
							401	419	18	2.38	5m @ 5.27 g/t Au & 3m @ 2.90 g/t Au
							426	429	3	2.58	1m @ 5.07 g/t Au
							432	446	14	4.71	4m @ 5.05 g/t Au & 5.1m @ 7.27 g/t Au
							452	456	4	1.10	
							466	469	3	1.98	1.4m @ 3.48 g/t Au
							473	476	3	1.72	1m @ 2.40 g/t Au
INDD0066	682,573	1,588,555	335	90	-60	479.18	150.5	151.5	1	0.63	
							227.6	228.6	1	0.87	
							295.6	296.6	1	2.78	
							299	300.2	1.2	0.57	
							312	315	3	3.95	1m @ 10.0 g/t Au
							318	319	1	1.09	
							326.8	328	1.2	0.52	
							338	340	2	1.65	1m @ 2.71 g/t Au
							345.3	353	7.7	1.65	2.2m @ 2.28 g/t Au
							358.3	367	8.7	1.44	3m @ 1.54 g/t Au & 1.2m @ 3.33 g/t Au
							372.7	375.4	2.7	1.14	
408.5	410.5	2	1.38	1m @ 2.02 g/t Au							
INDD0068	682,731	1,588,901	341	90	-60	360.7	236.3	237.3	1	0.71	
							300.3	301.3	1	2.80	
INDD0069	682,725	1,588,801	340	90	-60	349.5	210.7	211.7	1	0.91	
							236.4	238.5	2.1	0.77	
							242.2	245.3	3.1	1.06	
INDD0070	682,738	1,588,849	340	90	-60	391.5	306	307	1	4.27	
							145	146	1	0.72	
							210.2	211.2	1	4.44	
							220.9	222	1.1	0.90	
							231	232.4	1.4	0.65	
INDD0071	682,684	1,588,850	341	90	-60	391.5	259	260	1	0.53	
							331.5	334.5	3	1.63	1m @ 2.33 g/t Au
							11	13	2	0.60	
							217	219.2	2.2	1.42	
							308	311	3	1.06	
							359	360	1	1.76	
							363	364	1	0.85	
INDD0072	682,695	1,588,750	340	90	-60	400.5	389.5	390.5	1	0.71	
							262	264	2	2.38	1m @ 2.97 g/t Au
							277.6	278.6	1	1.24	
							285.5	286.5	1	1.02	
							308.3	309.3	1	1.07	
							313.3	316.8	3.5	0.73	
							328	331	3	0.54	
							345.3	347.3	2	1.10	
INDD0075	682,590	1,588,425	336	90	-60	375	374	377	3	2.72	2m @ 3.42 g/t Au
							193.5	195	1.5	8.41	
							287.5	333	45.5	2.77	22.3m @ 3.97 g/t Au & 2m @ 4.39 g/t Au
INDD0076	682,759	1,589,000	344	90	-60	370.5	241.8	251.5	9.7	3.31	8.7m @ 3.60 g/t Au
							264.7	265.7	1	1.00	
							271.3	273.8	2.5	2.66	1.5m @ 3.81 g/t Au
INDD0077	682,720	1,588,425	298	90	-60	352.5	101	105	4	3.09	2.1m @ 4.34 g/t Au
							125	128	3	1.27	
							149.5	152.8	3.3	1.78	1.3m @ 3.10 g/t Au
							155.1	160.5	5.4	6.63	
							166.1	168	1.9	0.88	
INRC1609	682,740	1,588,300	288	90	-60	141	25	26	1	0.61	
							60	61	1	0.51	
INRC1670	682,405	1,584,652	317	90	-60	200	118	119	1	0.52	

Hole ID	East	North	RL	Az	Dip	EOH (m)	From (m)	To (m)	Width (m)	Grade (g/t Au)	Including
INRC1718	682,744	1,587,902	339	90	-60	201	106	107	1	1.10	
INRC1761	682,739	1,588,455	298	90	-60	240	73	76	3	5.61	
							87	98	11	4.55	9m @ 5.46 g/t Au
							101	104	3	1.65	1m @ 4.10 g/t Au
							119	124	5	3.01	2m @ 5.68 g/t Au
							145	149	4	1.51	
							154	161	7	7.79	
							164	165	1	1.35	
INRC1764	682,856	1,588,752	308	90	-60	225	27	50	23	1.66	4m @ 3.43 g/t Au & 1m @ 4.33 g/t Au & 5m @ 2.27 g/t Au 1m @ 2.04 g/t Au
							54	58	4	1.15	
							114	116	2	2.39	
							133	134	1	0.50	
							137	143	6	4.62	5m @ 5.37 g/t Au
INRC1765	682,911	1,588,749	325	90	-60	135	80	84	4	1.88	1m @ 2.51 g/t Au
							96	98	2	1.19	
INRC1766	682,924	1,588,803	307	90	-60	135	33	34	1	0.68	
							92	94	2	1.21	
INRC1767	682,872	1,588,804	307	90	-60	200	18	32	14	2.22	5m @ 4.25 g/t Au & 1m @ 2.96 g/t Au
							37	40	3	0.37	
							44	49	5	1.86	1m @ 5.47 g/t Au
							115	116	1	0.67	
							119	120	1	1.55	
							133	139	6	2.10	2m @ 4.17 g/t Au
INRC1768	682,965	1,589,351	348	90	-60	310	5	9	4	0.99	
							25	27	2	1.28	
							34	40	6	0.99	1m @ 2.17 g/t Au
							46	59	13	2.16	4m @ 5.34 g/t Au
							81	83	2	1.23	
							101	102	1	1.51	
							115	116	1	0.68	
							119	120	1	0.98	
							130	136	6	1.65	2m @ 2.59 g/t Au
							198	202	4	3.31	1m @ 10.7 g/t Au
							285	286	1	1.48	
INRC1769	682,865	1,589,351	347	90	-60	315	6	9	3	0.48	
							147	154	7	0.76	
							161	164	3	0.62	
							198	200	2	0.55	
							203	204	1	2.56	
							218	219	1	0.56	
							230	241	11	2.11	3m @ 3.74 g/t Au
							275	279	4	0.80	
INRC1770	683,349	1,590,252	336	90	-60	245	71	74	3	0.95	
							128	129	1	2.33	
							132	134	2	1.84	1m @ 2.81 g/t Au
							138	143	5	1.76	2m @ 3.04 g/t Au
							156	163	7	1.11	1m @ 2.55 g/t Au
							187	188	1	0.79	
							243	244	1	0.66	
INRC1771	683,398	1,590,451	333	90	-60	209	29	30	1	0.50	
							103	105	2	4.09	
INRC1772	683,450	1,590,652	332	90	-60	246	162	163	1	0.86	
INRC1784	683,150	1,588,601	338	90	-60	135	50	51	1	2.37	
INRC1786	683,099	1,588,502	338	90	-60	130	115	119	4	0.98	
INRC1791	682,696	1,588,000	341	90	-60	268	210	212	2	1.87	1m @ 3.10 g/t Au
INRC1795	682,983	1,588,601	337	90	-60	200	71	72	1	1.99	
							98	99	1	5.97	
INRC1801	682,061	1,583,249	330	0	-60	125	3	4	1	0.80	
							13	14	1	0.62	
							107	108	1	0.58	
							121	122	1	0.67	
INRC1853	682,767	1,588,142	341	90	-60	190	138	139	1	0.60	
INRC1854	682,724	1,588,188	341	90	-60	200	133	134	1	0.55	
INRC1870	682,933	1,586,501	326	90	-60	150	37	38	1	0.77	
							49	70	21	1.25	1m @ 4.38 g/t Au & 3m @ 3.36 g/t Au
							107	109	2	0.52	
							120	121	1	0.70	

Hole ID	East	North	RL	Az	Dip	EOH (m)	From (m)	To (m)	Width (m)	Grade (g/t Au)	Including
INRC1871	682,980	1,586,498	328	90	-60	100	22	23	1	0.62	
							71	76	5	1.25	1m @ 2.00 g/t Au
INRC1923	682,679	1,588,197	338	90	-60	273	5	8	3	1.64	1m @ 3.84 g/t Au
							189	190	1	0.54	
INRC1924	682,661	1,588,251	335	90	-60	247	235	239	4	0.43	
INRC1925	682,665	1,588,275	334	90	-60	255	249	252	3	1.76	1m @ 2.02 g/t Au
INRC1926	682,650	1,588,304	332	90	-60	237	46	47	1	0.72	
INRC1928	682,858	1,589,050	346	86	-60	346	156	164	8	1.76	1m @ 2.77 g/t Au & 1m @ 4.05 g/t Au
							167	174	7	1.31	1m @ 3.10 g/t Au
							208	211	3	3.10	2m @ 4.31 g/t Au
INRD0076	682,822	1,589,151	360	90	-60	361.5	49	50	1	2.48	
INRD0076	682,822	1,589,151	360	90	-60	361.5	111	112	1	0.60	
INRD0077	682,792	1,589,101	359	90	-60	230	81	82	1	0.62	
							89	90	1	0.61	
							104	105	1	1.10	
							112	113	1	0.72	

Notes: Individual gold assays have a top cut of 30 g/t Au and a lower cut of 0.5 g/t Au for intercept calculations
Maximum internal waste allowed is 2m and minimum mineralised interval is 1m
All holes are drilled from surface using conventional reverse circulation drilling techniques and triple tube wireline diamond drilling techniques drilled by Boart Longyear & West African Drilling Services
All samples have been prepared and analysed by SGS Laboratories in Ouagadougou, Burkina Faso and Intertek Testing Services in Tarkwa, Ghana
Gold has been analysed by fire assay using a 50 gram charge
All sample batches have passed Avocet's QAQC protocols

TABLE 3 – SUMMARY OF DRILLHOLE INTERCEPTS AT INATA CENTRAL

Hole ID	East	North	RL	Az	Dip	EOH (m)	From (m)	To (m)	Width (m)	Grade (g/t Au)	Including	
INRC1845	682,648	1,586,264	323	90	-60	200	42	43	1	0.81		
							117	118	1	0.71		
							121	124	3	1.28		
							128	129	1	0.52		
							155	156	1	1.36		
INRC1846	682,649	1,586,315	323	90	-60	190	175	176	1	0.53	1m @ 5.05 g/t Au	
							121	126	5	1.42		
							136	140	4	0.49		
INRC1847	682,835	1,586,413	325	90	-60	175	14	16	2	0.54		
							57	58	1	0.51		
							86	87	1	0.70		
							109	110	1	2.21		
							129	130	1	1.81		
INRC1849	682,687	1,586,562	327	90	-60	200	147	159	12	1.60	5m @ 2.66 g/t Au	
INRC1850	682,710	1,586,562	326	90	-60	175	70	71	1	0.79		
							97	98	1	0.79		
							119	132	13	1.87		
							152	153	1	0.54		
INRC1851	682,845	1,587,800	342	90	-60	200	154	157	3	1.93	2m @ 2.26 g/t Au	
							162	163	1	1.49		
INRC1855	683,006	1,587,400	328	90	-60	200	39	42	3	2.55	1m @ 6.19 g/t Au 1m @ 3.80 g/t Au	
							51	56	5	1.33		
							61	63	2	0.95		
							100	102	2	0.76		
							107	108	1	1.21		
							132	135	3	0.87		
							140	145	5	0.39		
INRC1856	682,995	1,587,452	327	90	-60	170	54	67	13	2.80	5m @ 4.34 g/t Au	
							72	74	2	0.72		
							81	85	4	0.52		
							111	112	1	0.93		
							117	118	1	0.56		
							139	143	4	2.36		
							146	147	1	0.53		
							155	157	2	0.53		
							80	99	19	2.38		2m @ 5.06 g/t Au & 6m @ 4.06 g/t Au
							102	103	1	0.64		
109	113	4	1.23									
119	122	3	0.75									
INRC1857	682,971	1,587,447	328	90	-60	200	170	173	3	2.00	1m @ 4.45 g/t Au 5m @ 3.97 g/t Au & 1m @ 4.01 g/t Au & 1m @ 3.42 g/t Au	
							88	106	18	1.93		
							187	188	1	1.03		
							191	192	1	0.81		
							33	36	3	2.38		
INRC1859	682,970	1,587,500	328	90	-65	190	88	99	11	1.57	1m @ 5.19 g/t Au 1m @ 7.95 g/t Au	
							110	112	2	0.66		
							164	166	2	2.44		
INRC1861	683,042	1,587,503	330	90	-60	210	0	8	8	5.19	1m @ 3.08 g/t Au 4m @ 9.39 g/t Au 1m @ 2.47 g/t Au	
							20	24	4	1.35		
							40	41	1	0.52		
							46	53	7	0.54		
							57	58	1	1.65		
							62	64	2	2.76		
							137	138	1	0.60		
							133	147	14	1.94		4m @ 4.25 g/t Au
164	165	1	2.75									
185	186	1	1.42									
INRC1863	682,821	1,586,912	325	90	-60	200	74	75	1	0.60	1m @ 2.13 g/t Au 4m @ 5.57 g/t Au 1m @ 2.51 g/t Au	
							81	82	1	1.39		
							87	88	1	0.52		
							93	95	2	1.34		
							99	114	15	2.34		
							138	141	3	0.79		
							153	155	2	1.66		

Hole ID	East	North	RL	Az	Dip	EOH (m)	From (m)	To (m)	Width (m)	Grade (g/t Au)	Including
INRC1864	683,052	1,587,211	328	90	-60	150	36	41	5	2.41	1m @ 7.11 g/t Au
INRC1865	683,012	1,587,264	328	90	-60	160	2	4	2	0.96	
							8	9	1	0.67	
							50	52	2	3.73	1m @ 5.26 g/t Au
							79	84	5	1.63	1m @ 4.70 g/t Au
							100	102	2	2.20	
							105	106	1	4.32	
INRC1866	682,982	1,587,301	328	90	-60	210	134	137	3	3.21	2m @ 4.46 g/t Au
							23	32	9	5.34	4m @ 9.87 g/t Au
							38	43	5	2.54	1m @ 4.15 g/t Au & 1m @ 7.51 g/t Au
							50	51	1	0.75	
							55	64	9	2.16	3m @ 4.23 g/t Au
							70	71	1	1.80	
							86	87	1	0.50	
							106	108	2	0.84	
							139	140	1	7.40	
							162	168	6	0.77	
INRC1867	682,721	1,586,700	328	90	-60	198	158	165	7	7.37	5m @ 9.58 g/t Au
							168	170	2	0.66	
INRC1868	682,708	1,586,613	327	90	-60	210	146	158	12	2.21	6m @ 3.65 g/t Au
INRC1869	682,908	1,586,805	327	90	-60	160	76	78	2	0.57	
							113	120	7	3.78	1m @ 24.1 g/t Au
							137	144	7	1.33	1m @ 3.44 g/t Au
							149	150	1	3.73	
INRC1873	682,974	1,586,650	329	90	-60	154	113	114	1	0.51	
							121	122	1	0.63	
INRC1874	683,105	1,586,751	332	90	-60	100	0	13	13	2.92	5m @ 5.71 g/t Au
							16	23	7	0.80	1m @ 2.68 g/t Au
							27	28	1	2.22	
INRC1875	683,056	1,586,751	331	90	-60	130	38	42	4	0.82	
							45	46	1	2.11	
							56	60	4	1.06	1m @ 2.29 g/t Au
INRC1876	683,006	1,586,752	330	90	-60	180	16	17	1	0.61	
							21	24	3	0.78	
							31	33	2	0.91	
							153	154	1	0.56	
INRC1877	683,105	1,586,801	332	90	-60	100	6	25	19	3.69	10m @ 5.15 g/t Au
							33	39	6	3.67	4m @ 4.85 g/t Au
INRC1878	683,056	1,586,801	331	90	-60	130	11	12	1	0.83	
							24	25	1	0.79	
							34	35	1	0.62	
							48	49	1	0.85	
							57	60	3	1.75	2m @ 2.22 g/t Au
							64	67	3	0.83	
							76	78	2	0.78	
							82	84	2	0.65	
							101	102	1	1.39	
INRC1879	683,006	1,586,802	331	90	-60	167	11	33	22	1.08	3m @ 2.73 g/t Au
							38	44	6	2.17	1m @ 3.68 g/t Au & 1m @ 3.21 g/t Au
							67	68	1	0.60	
							103	105	2	0.86	
INRC1881	683,055	1,586,851	332	90	-60	130	69	74	5	1.57	3m @ 2.08 g/t Au
INRC1882	683,005	1,586,851	331	90	-60	162	11	15	4	2.37	1m @ 3.41 g/t Au
							21	29	8	2.83	4m @ 4.42 g/t Au
							64	66	2	1.56	1m @ 2.42 g/t Au
							104	105	1	1.00	
INRC1883	682,907	1,587,706	344	90	-60	194	141	145	4	0.70	
							161	168	7	3.26	5m @ 4.25 g/t Au
INRC1884	682,673	1,586,365	324	90	-60	196	105	106	1	2.02	
							133	137	4	1.40	1m @ 2.00 g/t Au
							140	150	10	2.00	1m @ 3.53 g/t Au
INRC1885	682,675	1,586,450	325	90	-60	186	116	117	1	0.55	
							126	150	24	2.29	8m @ 4.13 g/t Au & 2m @ 4.89 g/t Au
							153	154	1	1.48	
INRC1886	682,700	1,586,450	325	90	-60	208	99	123	24	1.68	5m @ 4.38 g/t Au
INRC1895	682,932	1,587,765	344	90	-60	210	103	106	3	0.55	
							113	114	1	0.95	
							119	120	1	0.74	

Hole ID	East	North	RL	Az	Dip	EOH (m)	From (m)	To (m)	Width (m)	Grade (g/t Au)	Including
							131	132	1	0.61	
							142	143	1	0.54	
INRC1896	682,885	1,587,758	344	90	-60	217	176	177	1	0.54	
INRC1901	682,712	1,586,263	323	90	-60	80	38	43	5	0.43	
INRC1902	682,670	1,586,264	323	90	-60	140	88	89	1	1.35	
							92	96	4	4.67	2m @ 8.07 g/t Au
							102	103	1	1.03	
INRC1904	682,738	1,586,313	324	90	-60	100	35	46	11	0.76	
INRC1921	682,858	1,587,162	325	90	-60	270	161	176	15	1.36	2m @ 4.29 g/t Au & 2m @ 2.55 g/t Au
							196	203	7	0.83	1m @ 2.24 g/t Au
							223	224	1	2.21	
							259	260	1	1.00	
INRC1927	682,905	1,586,751	327	86	-60	326.15	33	34	1	0.87	
							175	176	1	0.51	
INRD0074	682,670	1,586,601	327	90	-60	250	74	75	1	1.80	
INRD0080	682,770	1,586,413	327	90	-60	230	27	28	1	2.45	
							46	49	3	1.10	1m @ 2.10 g/t Au
							78	81	3	0.91	
							108	109	1	0.85	
							130	131	1	0.79	
INRD0081	682,686	1,586,510	325	86	-60	203	135	148	13	2.07	3m @ 4.16 g/t Au & 1m @ 3.18 g/t Au
INRD0082	682,873	1,586,701	329	90	-60	192	97	99	2	1.32	
							115	116	1	1.02	
							126	134	8	0.96	1m @ 2.16 g/t Au
							139	140	1	1.38	
INRD0083	682,623	1,586,264	323	86	-60	200	138	139	1	1.16	
INRD0089	682,709	1,586,800	330	90	-60	150	17	18	1	0.58	
							80	81	1	0.59	
INRD0090	682,683	1,586,413	322	86	-60	150	126	132	6	4.61	3m @ 7.51 g/t Au
							136	144	8	2.14	5m @ 3.10 g/t Au
INRD0091	682,702	1,586,865	330	90	-60	150	0	3	3	6.01	2m @ 8.57 g/t Au
INRD0092	682,660	1,586,559	326	90	-60	225	171	174	3	1.82	
							176.5	177.5	1	1.82	
INRD0093	682,361	1,586,700	324	90	-60	252.15	61	62	1	0.68	
							107	115	8	4.15	2m @ 12.1 g/t Au
INRD0094	682,947	1,586,866	331	86	-60	269.5	223	225	2	1.01	
INRD0095	682,420	1,586,700	325	90	-60	250	22	27	5	1.52	1m @ 4.20 g/t Au
							40	41	1	0.59	
							44	45	1	0.51	
							109	111	2	0.73	
INRD0096	682,867	1,586,805	329	86	-60	150	5	10	5	0.87	
INRD0097	682,865	1,587,552	338	90	-60	326	70	72	2	0.95	
							77	78	1	0.91	
INRD0098	682,905	1,587,547	339	90	-60	232	18	19	1	0.60	
							118	119	1	0.88	
							122	131	9	10.3	6m @ 14.9 g/t Au
							134	137	3	2.37	1m @ 3.25 g/t Au
							142	150	8	0.98	
INRD0103	682,928	1,587,450	341	90	-60	210	158	163	5	1.48	2m @ 3.20 g/t Au
							175	176	1	1.47	
INRD0134	682,836	1,587,262	336	90	-60	192	49	50	1	0.69	
INRD0136	682,844	1,587,400	340	86	-60	200	153	154	1	3.90	
INRD0137	682,786	1,586,964	325	86	-60	260	63	64	1	0.69	
							139	140	1	0.53	
							146	153	7	0.62	
							158	166	8	7.21	5m @ 10.7 g/t Au

Notes: Individual gold assays have a top cut of 30 g/t Au and a lower cut of 0.5 g/t Au for intercept calculations
Maximum internal waste allowed is 2m and minimum mineralised interval is 1m
All holes are drilled from surface using conventional reverse circulation drilling techniques and triple tube wireline diamond drilling techniques drilled by Boart Longyear & West African Drilling Services
All samples have been prepared and analysed by SGS Laboratories in Ouagadougou, Burkina Faso and Intertek Testing Services in Tarkwa, Ghana
Gold has been analysed by fire assay using a 50 gram charge
All sample batches have passed Avocet's QAQC protocols

TABLE 4 – SUMMARY OF DRILLHOLE INTERCEPTS AT INATA SOUTH

Hole ID	East	North	RL	Az	Dip	EOH (m)	From (m)	To (m)	Width (m)	Grade (g/t Au)	Including
INRC1585	682,102	1,583,952	326	0	-60	75	2	5	3	0.65	
							43	44	1	1.51	
							48	50	2	1.04	
INRC1586	682,056	1,583,951	327	0	-60	75	6	8	2	0.92	
							12	15	3	0.92	
							19	42	23	0.74	
							48	49	1	0.51	
							54	56	2	1.21	
INRC1587	682,006	1,583,951	327	0	-60	85	76	78	2	0.71	
INRC1589	681,909	1,583,951	328	90	-60	75	29	30	1	1.21	
INRC1617	682,354	1,584,354	320	90	-60	200	94	97	3	0.61	
INRC1619	682,353	1,584,406	320	90	-60	183	129	137	8	1.19	2m @ 2.98 g/t Au
							169	170	1	0.94	
INRC1620	681,759	1,583,950	329	360	-60	75	12	15	3	0.83	
INRC1663	682,352	1,584,501	319	90	-60	156	62	63	1	0.92	
							49	50	1	0.62	
							101	102	1	0.52	
							121	122	1	0.89	
							126	127	1	0.85	
INRC1665	682,251	1,584,501	320	90	-60	168	141	143	2	0.60	
							148	149	1	0.53	
INRC1667	682,427	1,584,550	318	90	-60	149	88	92	4	0.70	
INRC1668	682,404	1,584,600	318	90	-60	147	110	113	3	0.62	
							122	128	6	2.28	2m @ 4.53 g/t Au
INRC1669	682,350	1,584,601	318	90	-60	162	13	14	1	0.67	
INRC1673	682,392	1,584,710	317	90	-60	168	160	161	1	0.65	
							24	26	2	0.56	
							29	34	5	1.45	1m @ 2.46 g/t Au
141	144	3	0.56								
INRC1674	682,440	1,584,702	315	90	-60	174	153	154	1	0.70	
							82	87	5	0.67	
							97	98	1	0.87	
							101	102	1	0.67	
							128	129	1	0.50	
INRC1675	682,482	1,584,801	315	90	-60	150	65	77	12	0.67	1m @ 3.13 g/t Au
INRC1676	682,455	1,584,851	315	90	-60	152	96	102	6	0.65	
							109	114	5	0.69	
							120	126	6	1.83	1m @ 4.64 g/t Au
INRC1677	682,568	1,584,902	313	90	-60	182	11	14	3	0.51	
INRC1678	682,469	1,584,901	314	90	-60	173	18	19	1	0.73	
							24	25	1	0.55	
							86	90	4	2.77	3m @ 3.20 g/t Au
							97	123	26	7.35	
							126	129	3	1.22	13m @ 13.8 g/t Au
INRC1683	682,694	1,585,201	312	90	-60	177	39	41	2	0.55	
INRC1684	682,644	1,585,201	312	90	-60	183	53	55	2	0.63	
							59	61	2	2.19	
							65	71	6	2.64	3m @ 3.57 g/t Au
							85	86	1	0.82	
							89	90	1	0.64	
INRC1685	682,694	1,585,251	313	90	-60	168	99	100	1	1.18	
							11	12	1	0.53	
							17	18	1	0.62	
INRC1686	682,645	1,585,251	312	90	-60	182	59	63	4	0.71	
							78	80	2	0.71	
							88	90	2	1.28	
							104	114	10	2.16	1m @ 3.66 g/t Au & 1m @ 7.65 g/t Au
INRC1687	682,647	1,585,353	313	90	-60	128	114	117	3	0.58	
INRC1688	682,668	1,585,401	314	90	-60	147	90	97	7	1.95	1m @ 7.77 g/t Au
							102	103	1	0.87	
INRC1689	682,670	1,585,454	315	90	-60	162	95	99	4	1.03	
							103	107	4	2.69	1m @ 6.92 g/t Au
							120	123	3	0.64	
							128	130	2	1.04	
							138	139	1	2.31	

Hole ID	East	North	RL	Az	Dip	EOH (m)	From (m)	To (m)	Width (m)	Grade (g/t Au)	Including
INRC1690	682,649	1,585,501	315	90	-60	165	151	155	4	1.79	1m @ 4.26 g/t Au
							158	160	2	0.73	
INRC1691	682,624	1,585,501	315	90	-60	176	168	169	1	0.85	1m @ 4.36 g/t Au
INRC1692	682,575	1,585,700	317	90	-60	162	66	70	4	0.88	
							127	133	6	1.47	
INRC1694	682,572	1,585,798	318	90	-60	127	122	123	1	0.80	
INRC1695	682,608	1,585,863	318	90	-60	146	5	6	1	1.39	1m @ 2.23 g/t Au
							100	107	7	0.94	
							111	114	3	1.16	
							117	118	1	0.53	
							121	122	1	0.60	
							133	138	5	0.72	1m @ 2.01 g/t Au
INRC1696	682,583	1,585,863	318	90	-60	135	82	83	1	0.58	1m @ 2.01 g/t Au
							125	126	1	3.77	
INRC1697	682,598	1,585,901	319	90	-60	154	112	113	1	1.14	1m @ 2.01 g/t Au
							116	117	1	1.04	
							125	126	1	0.80	
							125	126	1	0.80	
INRC1699	682,637	1,585,963	320	90	-60	192	51	52	1	0.51	1m @ 2.01 g/t Au
							55	59	4	0.66	
							71	72	1	0.64	
							89	90	1	0.57	
							95	98	3	1.28	
							116	117	1	2.11	
							142	144	2	0.83	
							149	150	1	0.74	
							173	174	1	0.79	
							35	36	1	1.16	
INRC1796	683,002	1,585,797	319	90	-60	75	0	3	3	1.44	1m @ 2.13 g/t Au
INRC1798	683,107	1,585,800	319	90	-60	75	14	19	5	0.85	
							31	32	1	0.97	1m @ 2.13 g/t Au
INRC1799	683,162	1,585,801	319	90	-60	75	37	38	1	0.80	
							41	42	1	0.50	
							37	42	5	1.37	
INRC1804	682,306	1,584,201	323	0	-60	100	30	31	1	1.03	1m @ 3.06 g/t Au 1m @ 2.22 g/t Au
							37	42	5	1.37	
							49	56	7	0.64	
INRC1805	682,258	1,584,201	323	0	-60	100	93	96	3	0.51	6m @ 3.09 g/t Au
INRC1816	683,006	1,585,001	311	90	-60	80	64	65	1	0.62	
INRC1825	682,208	1,585,001	314	90	-60	75	17	18	1	0.72	
INRC1829	682,008	1,585,000	316	90	-60	75	59	60	1	0.50	
INRC1830	682,663	1,585,350	320	90	-60	138	81	93	12	1.84	
							100	101	1	0.84	
							107	108	1	0.80	
INRC1831	682,665	1,585,550	315	90	-60	138	66	73	7	1.50	
							78	85	7	1.41	
							92	96	4	0.50	
INRC1832	682,650	1,585,663	317	90	-60	150	61	69	8	5.08	2m @ 16.1 g/t Au
INRC1833	682,648	1,585,762	318	90	-60	150	5	6	1	0.61	
							10	14	4	1.38	1m @ 6.09 g/t Au 1m @ 4.70 g/t Au
							57	71	14	2.27	
							74	90	16	1.21	
							109	110	1	0.50	
INRC1834	682,611	1,585,949	319	90	-60	171	109	110	1	0.50	1m @ 3.12 g/t Au & 1m @ 17.2 g/t Au 2m @ 3.21 g/t Au & 1m @ 2.88 g/t Au
							113	116	3	1.25	
							126	127	1	0.77	1m @ 2.03 g/t Au
							132	135	3	0.37	
							142	145	3	6.02	
							168	169	1	0.50	
INRC1835	682,638	1,586,001	320	90	-60	174	68	69	1	0.76	1m @ 6.95 g/t Au
							102	105	3	2.80	
							132	133	1	1.48	
							149	150	1	0.60	
							114	115	1	0.98	
INRC1837	682,546	1,586,002	320	90	-60	150	65	72	7	0.68	3m @ 11.5 g/t Au
INRC1838	682,674	1,586,066	321	90	-60	150	144	146	2	0.78	
							49	50	1	0.66	
INRC1839	682,651	1,586,066	321	90	-60	150	97	98	1	0.65	
INRC1839	682,651	1,586,066	321	90	-60	150	97	98	1	0.65	
INRC1840	683,001	1,586,000	324	90	-60	200	98	100	2	0.56	
							117	122	5	7.25	
INRC1841	683,052	1,585,999	324	90	-60	175	31	32	1	3.16	

Hole ID	East	North	RL	Az	Dip	EOH (m)	From (m)	To (m)	Width (m)	Grade (g/t Au)	Including
INRC1842	683,100	1,586,000	324	90	-60	200	114	115	1	0.60	2m @ 2.94 g/t Au
							4	10	6	2.04	
							20	22	2	1.94	
INRC1844	682,570	1,585,601	315	90	-60	200	150	161	11	1.68	1m @ 4.62 g/t Au & 1m @ 5.97 g/t Au
INRC1930	682,900	1,586,001	323	86	-60	320	60	61	1	0.76	
INRD0101	682,561	1,585,762	317	86	-60	126	99	101	2	0.70	
INRD0104	682,527	1,585,700	316	86	-60	111	0	1	1	1.66	
							90	91	1	1.39	
INRD0109	682,548	1,585,601	315	86	-60	114	53	54	1	0.62	
INRD0110	682,716	1,585,304	313	86	-60	150	14	16	2	0.74	
							21	23	2	0.75	
							26	27	1	0.56	
							96	97	1	0.94	
							100	101	1	0.76	
INRD0111	682,385	1,584,853	315	86	-60	150	87	94	7	1.90	2m @ 4.25 g/t Au
INRD0113	682,433	1,584,792	315	86	-60	120	8	9	1	0.82	
							89	90	1	1.35	

Notes: Individual gold assays have a top cut of 30 g/t Au and a lower cut of 0.5 g/t Au for intercept calculations
Maximum internal waste allowed is 2m and minimum mineralised interval is 1m
All holes are drilled from surface using conventional reverse circulation drilling techniques and triple tube wireline diamond drilling techniques drilled by Boart Longyear & West African Drilling Services
All samples have been prepared and analysed by SGS Laboratories in Ouagadougou, Burkina Faso and Intertek Testing Services in Tarkwa, Ghana
Gold has been analysed by fire assay using a 50 gram charge
All sample batches have passed Avocet's QAQC protocols

TABLE 5 – SUMMARY OF DRILLHOLE INTERCEPTS AT MINFO & MINFO EAST

Hole ID	East	North	RL	Az	Dip	EOH (m)	From (m)	To (m)	Width (m)	Grade (g/t Au)	Including
INDD0091	682,451	1,583,081	324	360	-60	266	44.4	46.5	2.1	1.22	
							243.5	245.5	2	1.38	
							249.5	251.5	2	0.51	
							259.5	263.5	4	1.47	2m @ 2.42 g/t Au
INRC1611	682,260	1,583,177	326	0	-60	144	33	34	1	0.79	
							38	39	1	0.75	
INRC1614	682,360	1,583,148	325	0	-60	194	32	33	1	1.23	
							42	43	1	1.04	
							64	65	1	1.26	
INRC1615	682,402	1,583,129	325	0	-60	175	13	14	1	0.75	
							24	25	1	0.98	
							33	34	1	0.54	
							69	70	1	0.72	
INRC1897	683,250	1,582,888	318	356	-60	110	30	32	2	0.53	
							37	42	5	1.12	
							47	56	9	1.13	1m @ 2.80 g/t Au
							59	60	1	2.47	
							63	64	1	0.64	
							67	69	2	1.98	1m @ 3.19 g/t Au
							74	75	1	0.50	
							82	83	1	0.61	
							88	89	1	0.50	
INRC1898	683,153	1,582,907	319	356	-60	120	44	52	8	1.45	2m @ 3.70 g/t Au
							57	68	11	1.28	1m @ 2.38 g/t Au & 2m @ 2.68 g/t Au
							78	80	2	2.60	1m @ 4.27 g/t Au
							90	91	1	0.57	
INRC1899	683,101	1,582,916	320	356	-60	130	54	59	5	2.03	2m @ 4.24 g/t Au
							62	74	12	2.15	8m @ 2.68 g/t Au
							77	97	20	2.12	7m @ 4.03 g/t Au & 1m @ 2.07 g/t Au
							101	105	4	0.55	
							126	127	1	0.76	
INRD0129	682,652	1,582,955	322	356	-60	231	75	87	12	1.03	3m @ 2.38 g/t Au
							90	98	8	1.30	1m @ 2.60 g/t Au
INRD1612	682,260	1,583,122	325	0	-60	267	44	65	21	0.86	1m @ 2.56 g/t Au
INRD1613	682,309	1,583,133	325	0	-60	210	4	7	3	0.44	
							17	18	1	1.59	
							39	42	3	0.78	
							57	59	2	0.94	
							85	86	1	0.57	
INRD1728	682,005	1,583,137	326	0	-60	261	118	131	13	4.50	1.8m @ 3.41 g/t Au & 4.4m @ 9.93 g/t Au
							141	142.8	1.8	0.78	
							148	149	1	0.50	
							151.7	155.1	3.4	1.66	1.1m @ 2.39 g/t Au
							254	258	4	0.97	

Notes: Individual gold assays have a top cut of 30 g/t Au and a lower cut of 0.5 g/t Au for intercept calculations
Maximum internal waste allowed is 2m and minimum mineralised interval is 1m
All holes are drilled from surface using conventional reverse circulation drilling techniques and triple tube wireline diamond drilling techniques drilled by Boart Longyear & West African Drilling Services
All samples have been prepared and analysed by SGS Laboratories in Ouagadougou, Burkina Faso and Intertek Testing Services in Tarkwa, Ghana
Gold has been analysed by fire assay using a 50 gram charge
All sample batches have passed Avocet's QAQC protocols